

**TOWN OF ARUNDEL  
BUDGET BOARD/SELECT BOARD**

Thursday March 31, 2022  
Arundel Municipal Building  
7PM Meeting

Members present: **Budget Board:** Shawn Hayes, Jack Reetz, Theo Rohrs, John Bell, Michelle Allen. **Select Board:** Tom Danylik, Velma Hayes, Dan Dubois, Jason Nedeau, Phil Labbe.

Others: Town Manager Trefethen, Fire Chief Beaulieu

**Call to Order:** Chairman Hayes called meeting to order @ 7:02 PM

***MOTION Velma Hayes second Jack Reetz “approve agenda as amended” passed.(discussed Kennebunk River Committee efforts).***

-Fire Chief was asked back again to discuss the proposal for Full-Time FF/Paramedics. After much discussion and a review of expenses related to revenue the following took place. ***MOTION Velma Hayes second Dan Dubois “provide the Fire/Rescue Department the funding to hire (2) two firemen/paramedics and develop a warrant article for \$184,000 for this purpose” passed.***

-Selectmen Nedeau a member of the Kennebunk River Committee requested funding for the Committee to use to conduct further local water testing to identify specific contamination in the river areas, which will open up additional Federal/State Grant Funding to correct possible issues identified. ***MOTION John Bell second Jack Reetz “approve \$6,400 as requested by Selectmen Nedeau” passed.*** Funding was placed in the 11-04 Professional Services Account.

-Town Manager requested additional funding \$20,000 in the Transfer Station Account 17-01 Account for the purpose of replacing (1) close top container for a Compactor. ***MOTION John Bell second Jack Reetz “to approve Managers request for \$20,000 to replace close top container” passed.***

-Both respective Boards then took independent votes to approve 26 warrant article within the draft Annual Town Meeting Warrant (see attachment) to approve these articles all articles passed by each board unanimously

***ADJOURNMENT MOTION Dab Dubois second Theo Rohrs “to adjourn”  
passed @ 8:39PM***

Respectfully submitted,

Keith M. Trefethen  
Town Manager